

WV SAVE OUR STREAMS ADVANCED SURVEY SUMMARY

Stream Monitor(s) Warm Springs Run Level 3 Date(s) 9/3/15  
 Direction Lehman, Swaim, Iliff, Wurster, Dean, Brooks  
Widmyer School Start time 9:00 AM  
 County Morgan  
 RR Miles \_\_\_\_\_ Station Widmyer  
 Latitude 

39	36	42
----	----	----

 Longitude 

78	14	15
----	----	----

 Watershed Warm Spring  
 Database code \_\_\_\_\_

**WATER CHEMISTRY**

	Result	Units		Result	Units		Result	Units
Temp. (°F or °C)	20	C	Alkalinity	180	Ppm	Fecal coliform/E-coli		
pH	8		Nitrate/Nitrite	2		Iron	3	
Conductivity			Phosphates			Aluminum		
Dissolved O <sub>2</sub>	79		Total Dissolved Solids			Manganese		
Acidity			Turbidity	60	jtu	Other (describe below)		

Describe other conditions analyzed: \_\_\_\_\_

**PHYSICAL CONDITIONS**

Water clarity Clear Algae color \_\_\_\_\_  
 Water color none Algae abundance None  
 Water/Sediment odor 

None	None
------	------

 Algae texture \_\_\_\_\_  
 Streambed color Brown Surface foam none  
 Comments \_\_\_\_\_

Riffle width \_\_\_\_\_ Run width 4 Pool width \_\_\_\_\_ 

x	
---	--

  
 Riffle depth \_\_\_\_\_ Run depth 0.28 Pool depth \_\_\_\_\_ Feet Meter  
 Indicate units  
 Estimate 

--

 Count 

--

  
 Silt/clay Sand Fine gravel Coarse gravel Cobble Entire reach 

x
---

 Riffles only 

--

  
 Boulder Bedrock Woody debris  

9	9	39	39	18	2	1	
<b>Index</b>	<b>2.98</b>	marginal	Woody debris adjustment		% Riffles	% Runs	% Pools

**HABITAT CONDITIONS**

Attachment sites	12	Channel flow status	11	Embeddedness	15
Riffle frequency	3	Channel alterations	20	Bank veg. protection	8   10
Velocity/depth	3	Sediment deposition	5	Bank stability	6   7
<b>Total Score</b>	<b>114</b>	Channel shade	80 %	Riparian buffer	4   10

Integrity Rating 

<b>Marginal</b>
-----------------

 width 

--	--

Comments \_\_\_\_\_

**BIOLOGICAL CONDITIONS**

<b>Richness</b>	<b>Composition</b>	<b>Tolerance</b>			
Total Taxa <table border="1" style="display: inline-table;"><tr><td style="text-align: center;">13</td></tr></table>	13	% EPT Abundance <table border="1" style="display: inline-table;"><tr><td style="text-align: center;">71.2</td></tr></table>	71.2	Biotic Index <table border="1" style="display: inline-table;"><tr><td style="text-align: center;">4.47</td></tr></table>	4.47
13					
71.2					
4.47					
EPT Taxa <table border="1" style="display: inline-table;"><tr><td style="text-align: center;">5</td></tr></table>	5	% Dominance <table border="1" style="display: inline-table;"><tr><td style="text-align: center;">68.9</td></tr></table>	68.9	% Tolerant <table border="1" style="display: inline-table;"><tr><td style="text-align: center;">10.7</td></tr></table>	10.7
5					
68.9					
10.7					
Other aquatic organisms observed or collected (e.g. fish, salamanders etc.), or additional comments: _____					
<b>Stream Score</b> <table border="1" style="display: inline-table;"><tr><td style="text-align: center;">64.3</td></tr></table>			64.3		
64.3					
Integrity Rating <table border="1" style="display: inline-table;"><tr><td style="text-align: center;">Marginal</td></tr></table>			Marginal		
Marginal					

Discharge (cfs) <table border="1" style="display: inline-table;"><tr><td style="text-align: center;">0.31</td></tr></table>	0.31	Water level	Low	Normal	High	No flow
0.31						
		<input checked="" type="checkbox"/>				

Current/past weather conditions: Sunny

**LAND USE IMPACTS:** Indicate the types of land uses that affect your stream reach and their approximate location using the code: **(S)** streamside, **(M)** within ¼ mile, and **(W)** within the watershed. Also estimate the level of impact with the numeric codes **(1)** slight, **(2)** moderate, or **(3)** for high impacts.

	Impact	Location		Impact	Location
Single family residences	1	m	Trash dumps		
Sub-urban developments			Intensive feedlots		
Urban areas			Pastureland	1	w
Industrial areas			Cropland		
Parking lots, malls etc.	1	m	Oil & gas wells		
Bridges			Logging		
Paved roads	1	m	Mountaintop mining		
Unpaved roads			Abandoned mining		
Active construction			Deep mining		
Parks, trails etc			Quarries		
Other recreation			Other (describe)		
Landfills					

Comments: \_\_\_\_\_ Pipes? 

--

 Yes 

x
---

 No 

--

**BENTHIC MACROINVERTEBRATES:** Record the total number of each macroinvertebrate collected. Note: In the VAD the macroinvertebrates are recorded in three columns based upon their tolerance rating.

Low	Total	Moderate	Total	High	Total
Ameletidae (Ameletid minnow mayfly)		Baetidae (Small minnow mayfly)	1	Coenagrionidae (Narrow-wing damselfly)	
Ephemerelellidae (Spiny-crawler mayfly)		Beatiscidae (Armored mayfly)		Lestidae (Spread-wing damselfly)	
Heptageniidae (Flatheaded mayfly)	1	Caenidae (Square-gilled mayfly)		Libellulidae (Skimmer dragonfly)	2
Isonychiidae (Brush-legged mayfly)		Ephemeraidae (Burrowing mayfly)		Chrysomelidae (Reed beetle)	
Leptophlebiidae (Prong-gilled mayfly)		Potamanthidae (Hackle-gilled mayfly)		Dytiscidae (Predacious diving beetle)	
Siphonuridae (Primitive minnow mayfly)		Tricorythidae (Stout-crawler mayfly)		Haliplidae (Crawling water beetle)	
Capniidae (Small winter stonefly)		Hydropsychidae (Common netspinner)	1	Hydrophilidae (Water scavenger beetle)	
Chloroperlidae (Green stonefly)		Hydroptilidae (Purse-case caddisfly)		Belostomatidae (Giant water bug)	
Leuctridae (Rolled-wing stonefly)		Molannidae (Hooded-case caddisfly)		Corixidae (Water boatman)	
Nemouridae (Little brown stonefly)		Phryganeidae (Giant-case caddisfly)		Gerridae/Veliidae (Water striders)	2
Perlidae (Common stonefly)	1	Polycentropodidae (Tube-net caddisfly)		Hydrometridae (Water measurer)	
Perlodidae (Patterned stonefly)		Psychomyiidae (Trumpet-net caddisfly)		Nepidae (Water scorpion)	

WV SAVE OUR STREAMS ADVANCED SURVEY SUMMARY

Peltoperlidae (Roach-like stonefly)		Pyrilidae (Aquatic moth)		Notonectidae (Backswimmer)	
Pteronarcyidae (Giant stonefly)		Calopterygidae (Broad-wing damselfly)		Ceratopogonidae (Biting midge)	
Taeniopterygidae (Large winter stonefly)		Gomphidae (Clubtail dragonfly)		Chironomidae (Non-biting midge)	11
Brachycentridae (Humpless-case caddisfly)		Dryopidae (Long-toed beetle)		Culicidae (Mosquito)	
Glossosomatidae (Saddle-case caddisfly)		Elmidae (Riffle beetle)	12	Muscidae (Muscid fly)	
Goeridae (Goerid-case caddisfly)		Gyrinidae (Whirligig beetle)	2	Psychodidae (Moth fly)	
Helicopsychidae (Snail-case caddisfly)		Sialidae (Alderfly)		Ptychopteridae (Phantom cranefly)	
Lepidostomatidae (Case-maker caddisfly)		Entomobryidae (Springtail)		Stratiomyidae (Soldier fly)	
Leptoceridae (Longhorn-case caddisfly)		Dixidae (Dixid midge)		Syrphidae (Rat-tailed maggot)	
Limnephilidae (Northern-case caddisfly)		Empididae (Dance fly)		Tabanidae (Horse fly)	
Philopotamidae (Finger-net caddisfly)	122	Simuliidae (Black fly)	2	Asellidae (Aquatic sowbug)	
Rhyacophilidae (Free-living caddisfly)		Tipulidae (Crane fly)		Ancylidae (Limpet snail)	
Uenoidae (Uenoid-case caddisfly)		Hydrachnidae (Water mites)		Physidae (Left-handed snail)	
Aeshnidae (Damner dragonfly)		Cambaridae (Crayfish)		Planorbidae (Orb snail)	
Cordulegastridae (Spiketail dragonfly)		Gammaridae (Sideswimmer)		Hirudinea (Leech)	
Psephenidae (Water penny)	16	Palaemonidae (Freshwater shrimp)		Nematoda (Round worm)	
Corydalidae (Hellgrammite/Fishfly)		Bithyniidae (Bithynid snail)		Nematomorpha (Horsehair worm)	
Athericidae (Watersnipe fly)		Pleuroceridae (Rock snail)		Oligochaeta (Aquatic worm)	4
Blephariceridae (Net-wing midge)		Viviparidae (Viviparid snail)		Turbellaria (Flatworms)	
Hydrobiidae (Pebble snail)		Corbiculidae (Asian clam)		<b>Tolerance unknown</b>	
Unionidae (Mussel)		Sphaeriidae (Pea clam)		Hydrozoa (Freshwater jellyfish)	
				Neuroptera (Spongilliflies)	
				Spongilla (Freshwater sponge)	