

WV SAVE OUR STREAMS ADVANCED SURVEY SUMMARY

Stream Monitor(s) Warm Springs Run Level 3 Date(s) 06/13/17
Brooks, Swaim, Trump, Dean, Lehman
 Direction Front of Country Inn on Washington Street Start time 8:30
 County Morgan
 RR Miles _____ Station Country Inn
 Latitude

39	37	32
----	----	----

 Longitude

78	13	45
----	----	----

 Watershed Warm Springs Run
 Database code _____

WATER CHEMISTRY

	Result	Units		Result	Units		Result	Units
Temp. (°F or °C)	22	c	Alkalinity	160		Fecal coliform/E-coli		
pH	7.5		Nitrate/Nitrite	0		Iron	.051	
Conductivity			Phosphates			Aluminum		
Dissolved O ₂	80%		Total Dissolved Solids			Manganese		
Acidity			Turbidity			Other (describe below)		

Describe other conditions analyzed: _____

PHYSICAL CONDITIONS

Water clarity Clear Algae color Brown
 Water color None Algae abundance Moderate
 Water/Sediment odor Musky musky Algae texture Evencoating
 Streambed color Brown Surface foam none
 Comments _____

Rifle width _____ Run width 7 Pool width

x	
---	--

 Rifle depth _____ Run depth 0.26 Pool depth _____ Feet Meter
 Indicate units
 Estimate

--

 Count

x

 Silt/clay Sand Fine gravel Coarse gravel Cobble Entire reach

--

 Riffles only

--

 Boulder Bedrock Woody debris

	5	27	32	36			
Index	3.3	good	Woody debris adjustment		% Riffles	% Runs	% Pools

HABITAT CONDITIONS

Attachment sites	9	Channel flow status	9	Embeddedness	15	
Riffle frequency	9	Channel alterations	11	Bank veg. protection	10	7
Velocity/depth	9	Sediment deposition	14	Bank stability	8	8
Total Score	112	Channel shade	<40%	Riparian buffer	2	1

Integrity Rating

marginal

 width

--

Comments _____

BIOLOGICAL CONDITIONS

Richness	Composition	Tolerance			
Total Taxa <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="text-align: center;">14</td></tr></table>	14	% EPT Abundance <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="text-align: center;">65.2</td></tr></table>	65.2	Biotic Index <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="text-align: center;">4.53</td></tr></table>	4.53
14					
65.2					
4.53					
EPT Taxa <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="text-align: center;">5</td></tr></table>	5	% Dominance <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="text-align: center;">33.1</td></tr></table>	33.1	% Tolerant <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="text-align: center;">6.8</td></tr></table>	6.8
5					
33.1					
6.8					
Other aquatic organisms observed or collected (e.g. fish, salamanders etc.), or additional comments:					
7 salamanders					
Stream Score <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="text-align: center;">71.9</td></tr></table>		71.9	Integrity Rating <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="text-align: center;">suboptimal</td></tr></table>	suboptimal	
71.9					
suboptimal					

Discharge (cfs)

22

 Water level

Low	Normal	High	No flow
	x		

Current/past weather conditions: Sunny and hot Past- Hot and sunny

LAND USE IMPACTS: Indicate the types of land uses that affect your stream reach and their approximate location using the code: **(S)** streamside, **(M)** within ¼ mile, and **(W)** within the watershed. Also estimate the level of impact with the numeric codes **(1)** slight, **(2)** moderate, or **(3)** for high impacts.

	Impact	Location		Impact	Location
Single family residences	1	s	Trash dumps		
Sub-urban developments			Intensive feedlots		
Urban areas	2	s	Pastureland		
Industrial areas			Cropland		
Parking lots, malls etc.	2	s	Oil & gas wells		
Bridges	2	s	Logging		
Paved roads	2	s	Mountaintop mining		
Unpaved roads			Abandoned mining		
Active construction			Deep mining		
Parks, trails etc			Quarries		
Other recreation			Other (describe)		
Landfills					
Comments:			Pipes?	x	No

BENTHIC MACROINVERTEBRATES: Record the total number of each macroinvertebrate collected. Note: In the VAD the macroinvertebrates are recorded in three columns based upon their tolerance rating.

Low	Total	Moderate	Total	High	Total
Ameletidae (Ameletid minnow mayfly)		Baetidae (Small minnow mayfly)	8	Coenagrionidae (Narrow-wing damselfly)	
Ephemerelellidae (Spiny-crawler mayfly)		Beatiscidae (Armored mayfly)		Lestidae (Spread-wing damselfly)	
Heptageniidae (Flatheaded mayfly)	3	Caenidae (Square-gilled mayfly)		Libellulidae (Skimmer dragonfly)	
Isonychiidae (Brush-legged mayfly)	10	Ephemeraeidae (Burrowing mayfly)		Chrysomelidae (Reed beetle)	
Leptophlebiidae (Prong-gilled mayfly)		Potamanthidae (Hackle-gilled mayfly)		Dytiscidae (Predacious diving beetle)	
Siphonuridae (Primitive minnow mayfly)		Tricorythidae (Stout-crawler mayfly)		Halipilidae (Crawling water beetle)	
Capniidae (Small winter stonefly)		Hydropsychidae (Common netspinner)	137	Hydrophilidae (Water scavenger beetle)	
Chloroperlidae (Green stonefly)		Hydroptilidae (Purse-case caddisfly)		Belostomatidae (Giant water bug)	
Leuctridae (Rolled-wing stonefly)		Molannidae (Hooded-case caddisfly)		Corixidae (Water boatman)	
Nemouridae (Little brown stonefly)		Phryganeidae (Giant-case caddisfly)		Gerridae/Veliidae (Water striders)	
Perlidae (Common stonefly)		Polycentropodidae (Tube-net caddisfly)		Hydrometridae (Water measurer)	
Perlodidae (Patterned stonefly)		Psychomiidae (Trumpet-net caddisfly)		Nepidae (Water scorpion)	1

WV SAVE OUR STREAMS ADVANCED SURVEY SUMMARY

Peltoperlidae (Roach-like stonefly)		Pyalidae (Aquatic moth)		Notonectidae (Backswimmer)	
Pteronarcyidae (Giant stonefly)		Calopterygidae (Broad-wing damselfly)		Ceratopogonidae (Biting midge)	
Taeniopterygidae (Large winter stonefly)		Gomphidae (Clubtail dragonfly)		Chironomidae (Non-biting midge)	14
Brachycentridae (Humpless-case caddisfly)		Dryopidae (Long-toed beetle)		Culicidae (Mosquito)	
Glossosomatidae (Saddle-case caddisfly)		Elmidae (Riffle beetle)	38	Muscidae (Muscid fly)	
Goeridae (Goerid-case caddisfly)		Gyrinidae (Whirligig beetle)		Psychodidae (Moth fly)	
Helicopsychidae (Snail-case caddisfly)		Sialidae (Alderfly)		Ptychopteridae (Phantom cranefly)	
Lepidostomatidae (Case-maker caddisfly)		Entomobryidae (Springtail)		Stratiomyidae (Soldier fly)	
Leptoceridae (Longhorn-case caddisfly)		Dixidae (Dixid midge)		Syrphidae (Rat-tailed maggot)	
Limnephilidae (Northern-case caddisfly)		Empididae (Dance fly)		Tabanidae (Horse fly)	
Philopotamidae (Finger-net caddisfly)	112	Simuliidae (Black fly)	4	Asellidae (Aquatic sowbug)	
Rhyacophilidae (Free-living caddisfly)		Tipulidae (Crane fly)	3	Ancylidae (Limpet snail)	
Uenoidae (Uenoid-case caddisfly)		Hydrachnidae (Water mites)		Physidae (Left-handed snail)	
Aeshnidae (Damner dragonfly)	1	Cambaridae (Crayfish)		Planorbidae (Orb snail)	1
Cordulegastridae (Spiketail dragonfly)		Gammaridae (Sideswimmer)		Hirudinea (Leech)	13
Psephenidae (Water penny)	69	Palaemonidae (Freshwater shrimp)		Nematoda (Round worm)	
Corydalidae (Hellgrammite/Fishfly)		Bithyniidae (Bithynid snail)		Nematomorpha (Horsehair worm)	
Athericidae (Watersnipe fly)		Pleuroceridae (Rock snail)		Oligochaeta (Aquatic worm)	
Blephariceridae (Net-wing midge)		Viviparidae (Viviparid snail)		Turbellaria (Flatworms)	
Hydrobiidae (Pebble snail)		Corbiculidae (Asian clam)		Tolerance unknown	
Unionidae (Mussel)		Sphaeriidae (Pea clam)		Hydrozoa (Freshwater jellyfish)	
				Neuroptera (Spongilliflies)	
				Spongilla (Freshwater sponge)	